

# COVID-19 VACCINE OVERVIEW

## Note

This overview includes all vaccines in Phases 2/3, Phase 3 and Phase 4 trials.

The present version is update 15 and is accurate up to 27 July 2021. **Yellow highlighted text** indicates changes and updates since the previous version.

## Important information

Only manufacturers of the **grey highlighted** vaccines in the table have published peer-reviewed results or detailed FDA EUA documentation from Phase 3 efficacy trials. The rest of the results are either indicative or non-peer-reviewed data. While important to understand possible efficacy levels, these 'results' are not necessarily 100% valid.

## Vaccine efficacy versus effectiveness

See below for an explanation of the two terms 'efficacy' and 'effectiveness':

- **Efficacy:** Trial data based on perfect or near-perfect conditions measuring the relative difference in infections between a vaccinated and a placebo group.
- **Effectiveness:** Real-world data based on how well the vaccine work in non-controlled populations. Comparing the vaccination status of a group of confirmed cases with the vaccination status of a group that doesn't have the infection can determine the effectiveness.
- **Calculation:** Efficacy and effectiveness are calculated the same way. A vaccine with an efficacy/effectiveness of 80% means the vaccine group had an 80% lower risk of developing the disease than the placebo/non-vaccinated group. An efficacy/effectiveness of 80% does not mean that 20% of the vaccinated group will be infected (70, 71).

Unless otherwise stated, the data in the table is from efficacy trials.

## Disclaimer

This document and its content are part of correspondence with the receiving company under valid programme number. The information shared in this document is for education purposes only and shall not be considered as replacement for medical advice.

This report is written as a general guide only and the information stated therein is provided on an "as is" and "as available" basis. International SOS (hereinafter referred to as "Intl.SOS") will take reasonable care in preparing this report. However, Intl.SOS, its holding, subsidiary, group companies, affiliates, third-party content, providers or licensors and each of their respective officers, directors, employees, representatives, licensees and agents (hereinafter collectively referred to as the "Intl. with respect to this report. OS Parties") do not make any representations or warranties of any kind, express or implied, about the completeness, accuracy, authenticity, reliability, or suitability with respect to this report. Intl.SOS hereby disclaims and the receiving company hereby waives on its behalf of its holding, subsidiary, group companies, affiliates and each of their respective officers, directors, employees, representatives and agents its and their respective rights to claim against any or all of the Intl.SOS Parties for any or all liability including, without limiting the generality of the foregoing, any loss or damage to property; bodily injury or death; loss or anticipated loss of profit, loss or anticipated loss of revenue, economic loss of data, whether or not flowing directly or indirectly from the information, act or omission in question; business interruption, loss of use of equipment, loss of contract or loss of business opportunity; or indirect, special, incidental, consequential, exemplary, contingent, penal or punitive damages, howsoever arising, including out of negligence or wilful default or out of the information contained in or omitted from the report or other information which is referenced by, or linked to this report. The entire liability of Intl.SOS under or in connection with this report, whether for negligence, breach of contract, misrepresentation or otherwise is limited to the charges paid for the services of Intl.SOS for producing this report up to a maximum amounting to charges paid during the period of 1 year preceding the claim.

## Variant names

We have adopted the new variant names defined by the WHO:

- Alpha (known as the B.1.1.7 variant - first documented in UK),
- Beta (Known as the B.1.351 variant – first documented in South Africa),
- Gamma (Known the as P.1 variant - first documented in Brazil),
- Delta (Known as the B.1.617.2 variant – first documented in India)

Please refer to the International SOS Pandemic site for an overview of variants:

<https://pandemic.internationalsos.com/2019-ncov/covid-19-variants>

## WHO Emergency Use Listing

The WHO Emergency Use Listing Procedure (EUL) is a method for assessing and listing unlicensed vaccines, with the ultimate aim of expediting the availability of these products to people affected by a public health emergency. The EUL will help UN agencies and WHO member states determine vaccines' acceptability based on an essential set of available quality, safety, efficacy, and performance data.

## COVID-19 VACCINE OVERVIEW

### Inactivated / killed whole virus

Polio (IPV), Influenza, Hepatitis A, Japanese Encephalitis, Rabies vaccines use this technology.

These vaccines are based on the SARS-CoV-2 virus itself, which is grown in significant amounts in laboratory settings and then killed. Vaccines based on inactivated viruses are generally not as effective as vaccines based on live virus and often require multiple injections to stimulate an adequate immune response. They are however very safe and cannot replicate in the body.

### Non-Replicating Viral Vector

Ebola vaccines use this technology.

This type of vaccine is based on a genetically modified virus that cannot replicate itself and therefore is not able to cause illness. Instead, the virus is injected with a piece of the SARS-CoV-2 virus that makes the virus produce a protein, resulting in an immune response by the body towards COVID-19.

### mRNA and DNA vaccines

What is injected in the body is simply the genetic instructions to make a viral protein such as the spike protein. Cells in your body then use the instructions to make the protein inside the body for your immune cells to see and respond to.

The DNA is delivered as a ring of DNA called a plasmid. Best results are obtained by administration via “electroporation” (electric pulse to enhance entry into the cells).

mRNA and DNA vaccines are thought to initiate a strong cellular immunity and they can be produced and altered rapidly.

### Protein subunit

A protein subunit vaccine only contain ‘dead’ parts of a pathogen, and contrary to inactivated and RNA vaccines, the protein subunit vaccine does not have any genetic material, only subunits – in this case a protein.











### Virus-like Particles

These are special class of subunit vaccines, where element of proteins (peptides) are self – assembled (synthesized) into particles that are intended to look like viruses to the human immune system.

### Sequential Association of Vaccines

Often referred to as “*mixed/mixing vaccines*” in the mainstream media, ‘Sequential Association of Vaccines’ is the practice of using different brands or types of vaccines to complete a vaccination regimen. In relation to preventing COVID-19, a non-replicating viral vector vaccine and a mRNA vaccine has been used for the 1st and 2nd dose in some countries. **In addition to suspected adverse events from the non-replicating viral vector vaccine, there are emerging studies on improved efficacy with mixing of types and some countries are mixing due to supply issues.**

## COVID-19 VACCINE OVERVIEW

Company/vaccine name (country)	Doses (1)	Storage temperature & shelf-life (2)	Age suitability	Wholesale price in US dollars (58)	Implemented in # of countries (4)	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
 <b>Sinovac/CoronaVac®</b> (China)	 2 doses (day 0 & 14)	<b>2 to 8°C</b>	18+	\$9.50- \$32.52	<b>38 (+2)</b>	yes	<b>Brazil Phase 3 trial (5, 25):</b> symptomatic disease 50.7% - <b>medical assistance 83.7%</b> - moderate to severe disease 100%  <b>Turkey Phase 3 trial (25):</b> symptomatic disease 84% - hospitalisation 100%  <b>Chile Phase 3 trial (25):</b> symptomatic disease 67% - hospitalisation 85%  <b>Indonesia Phase 3 trial (25):</b> symptomatic disease 65%  <b>Chile effectiveness real-life study (61):</b> symptomatic disease 65.9% - hospitalisation 87.5% - ICU admission 90.3% - death 86.3%	<b>Brazil Phase 3 trial (25):</b> might be effective against circulating <b>Gamma</b> variant: clinical disease 50%  <b>Chile Phase 3 trial (25):</b> might be effective against circulating <b>Gamma</b> and <b>Alpha</b> variants: symptomatic disease 67% - hospitalisation 85%	-
<b>Beijing/Sinopharm/BBIBP</b> (China)	 2 doses (day 0 & 21)	<b>2 to 8°C</b>	18+	\$15-\$40	<b>64 (+2)</b>	yes	<b>UAE, Bahrain, Egypt, Jordan Phase 3 trials</b> expected December 2021 (7). <i>Interim results</i> from the multi-country trials suggest (26): overall 78.1% - hospitalization 78%	-	-
<b>Wuhan/Sinopharm</b> (China)	 2 doses (day 0 & 21)	4°C	18+	-	2 (+0)	-	-	-	-
<b>Chinese Academy of Medical Sciences</b> (China)	 2 doses (day 0 & 28)	-	18+	-	-	-	<b>Phase 3 trial</b> data expected July 2022 (39)	-	-
<b>Shenzhen Kangtai Biological Products Co., Ltd.</b> (China)	 2 doses (day 0 & 28)	-	18+	-	-	-	<b>Phase 3 trial</b> data expected November 2022 (23)	-	-
<b>Bharat Biotech/Covaxin®</b> (India)	 2 doses (day 0 & 28) <sup>5</sup>	2 to 8°C	18+	\$5.45- \$35	6 (+0)	-	<b>Phase 3 trial</b> data expected December 2022 (8) <b>India Phase 3 trial non-peer reviewed (62):</b> asymptomatic disease 63.6% - symptomatic disease 77.8% - severe disease 93.4%	<b>India Phase 3 trial non-peer reviewed (62):</b> sufficient efficacy established against <b>Delta</b> : symptomatic disease 65.2%	-
<b>Shifa Pharmed Industrial Co / COVIran Barakat</b> (Iran)	 2 doses (day 0 & 14)	-	18+	-	-	-	-	-	-
<b>Research Institute/Qazcovid-In®</b> (Kazakhstan)	 2 doses (day 0 & 21)	-	18+	-	1 (+0)	-	<b>Phase 3 trial</b> data expected July 2021 (27)	-	-
<b>Valneva / National Institute for Health Research / VLA2001</b> (France & UK)	 2 doses (day 0 & 21)	2 to 8°C (54)	18+	-	-	-	<b>Phase 3 trial</b> data expected June 2022 (53)	-	-

## COVID-19 VACCINE OVERVIEW

NON-REPLICATING  
VIRAL VECTOR








Company/vaccine name (country)	Doses (1)	Storage temperature & shelf-life (2, 65)	Age suitability	Wholesale price in US dollars (58)	Implemented in # of countries (4)	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
ReiThera / Leukocare / Univercells / GRAd-COV2 (Belgium, Germany and Italy)	1 dose (day 0)	2 to 8°C (50)	18+	-	-	-	Phase 3 trial data expected April 2022 (24)	-	-
CanSino Biologics/ Beijing Institute of Biotechnology/ ad5-ncov/ Convidicea® (China)	1 dose (day 0)	4°C	18+	\$27.15	4 (+0)	-	Phase 3 trial data expected July 2021 and January 2022 (28) Interim / non-published results (6): symptomatic disease 65.7% - severe disease 90.98%	-	-
University of Oxford / AstraZeneca / Vaxzevria® / ChAdOx1-S (UK)	2 doses (day 0 & 28-84)	2 to 8°C	18+	\$2.19-\$5	180 (+0)	yes <sup>1</sup>	Brazil and UK Phase 3 trials (16): overall 70.4% - symptomatic disease 60.3% (UK 2x standard doses) - symptomatic disease 90% (UK 1 low + 1 standard dose) – symptomatic disease 64.2% (Brazil 2x standard doses)  US, Chile, and Peru Phase 3 trial interim analysis (21): symptomatic disease 79% - severe disease and hospitalisation 100% - efficacy among >65 80%  UK pooled analysis of four phase 3 trials (68): overall 66.7% (>14 days after second dose) - clinical disease 76% (during days 22-90 after first dose) – clinical disease 81.3% (second dose at ≥12 weeks after first dose) – clinical disease 55.1% (second dose at <6 weeks after first dose) – severe disease 100% - hospitalisation 100%	South Africa variant efficacy trial (19): sufficient efficacy <u>not</u> established against Beta: clinical disease 10.4% - mild to moderate disease 21.9%  UK variant efficacy trial non-peer reviewed (29): sufficient efficacy established against Alpha: symptomatic disease 74.6%  England effectiveness real-life study (55): sufficient efficacy established against Alpha and Delta with full regimen: infection with Alpha 74.5% - infection with Delta 67.0%. Sufficient efficacy <u>not</u> established after first dose: infection with Alpha 48.7% - infection with Delta 30.7%.	-
Serum Institute of India Pvt Ltd / ChAdOx1-S / Covishield® (India)	2 doses (day 0 & 28-84)	2 to 8°C	18+	\$3-\$13.27	45	yes	Presumed to be identical to the AstraZeneca / Vaxzevria® / ChAdOx1-S vaccine above	Presumed to be identical to the AstraZeneca / Vaxzevria® / ChAdOx1-S vaccine above	-
Gamaleya/Sputnik V® (Russia)	2 doses (day 0 & 21)	-18.5°C (liquid) 2 to 8°C (dry)	18+	\$3-27.15	49 (+1)	-	Russia Phase 3 trial (18): symptomatic disease 91.6% - severe disease 100%	-	-
Gamaleya/Sputnik Light (Russia)	1 dose (day 0)	-18.5°C (liquid) 2 to 8°C (dry)	18+	\$3-27.15	-	-	Argentina Phase 3 trial interim / non-published results (69): clinical disease 78.6-83.7% - severe disease 100% Phase 3 trial data expected January 2022.	-	-
Johnson & Johnson/ Janssen Pharmaceutical (USA)	1 dose (day 0)	-20°C (shipping) 2 to 8°C (3 mhts)	18+	\$8.50-\$10	33 (+4)	yes	Multi-country Phase 3 trial (9, 30): moderate to severe disease 66.9% (overall after day 14) - moderate to severe disease 66.1% (overall after day 28) - severe to critical disease 76.7% (overall after day 14) severe to critical disease 85.4% (overall after day 28)	Multi-country Phase 3 trial (31): sufficient efficacy established against Beta and Zeta <sup>6</sup> : moderate to severe disease 52% (after day 14) - moderate to severe disease 64% (after day 28) severe to critical disease 73.1% (after day 14) severe to critical disease 81.7% (after day 28)	-

<sup>1</sup> EU approved manufacturing sites: Belgium, United States, United Kingdom, Republic of Korea, Netherlands, China, Italy, Germany and Spain.  
Ministry of Health, Labour and Welfare, Japan approved manufacturing sites: United States, Japan and Italy.  
Therapeutic Goods Administration, Australia approved manufacturing sites: Belgium, United Kingdom, Australia, Italy, Germany and Australia.












# COVID-19 VACCINE OVERVIEW

 mRNA

Company/vaccine name (country)	Doses (1)	Storage temperature & shelf-life (2, 65)	Age suitability	Wholesale price in US dollars (58)	Implemented in # of countries (4)	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
<b>Academy of Military Science (AMS)/ Walvax Biotechnology/ Suzhou Abogen Biosciences (China)</b>	 2 doses (day 0 & 14 OR day 0 & 21)	2 to 8°C (50)	18+	-	-	-	<b>Phase 3 trial</b> data expected May 2023 (49)	-	-
<b>Curevac (Germany)</b>	 2 doses (day 0 & 21)	4°C	18+	\$11.84	-	-	<b>Phase 3 trial</b> data expected April, June and September 2022 (32)	-	-
<b>Pfizer/ BioNTech/ Fosun/ Comirnaty® (Germany &amp; USA)</b>	 2 doses (day 0 & 21-84)	-80 to -60°C (6 mths) -25 to -15°C (2 wks) (15)	16+ 12+ (Australia, Canada, EU & USA)	\$6.75-\$19.50	111 (+4)	yes	<p><b>Argentina, Brazil, South Africa and the US Phase 3 trial (13):</b> symptomatic disease 95%</p> <p><b>England effectiveness real-life study (pre-print) (34):</b> asymptomatic and symptomatic disease 86%</p> <p><b>Israel effectiveness real-life study (health care workers) (33):</b> symptomatic disease 90.5% - symptomatic disease 89-91% (during days 15-28 after first dose)</p> <p><b>Israel effectiveness real-life study (general population) (34):</b> overall effectiveness 95.3% - symptomatic disease 97% - asymptomatic infection 91.5% - hospitalisation 97.2% - severe/critical hospitalisation 97.5% - deaths 96.7%</p> <p><b>USA effectiveness real-life study (3):</b> infection 86.1% - hospitalisation 88.8% - ICU admission 100%</p>	<p><b>Israel effectiveness real-life study (general population) (34):</b> sufficient efficacy established against <b>Alpha</b>: overall effectiveness 95.3% - symptomatic disease 97% - asymptomatic infection 91.5% - hospitalisation 97.2% - severe/critical hospitalisation 97.5% - deaths 96.7%</p> <p><b>Qatar effectiveness real-life study (35):</b> sufficient efficacy established against <b>Alpha</b> and <b>Beta</b>: infection with Alpha 89.5% - infection with Beta 75% - severe, critical or fatal disease with <b>Alpha</b> or <b>Beta</b> 100%</p> <p><b>England effectiveness real-life study (55):</b> sufficient efficacy established against <b>Alpha</b> and <b>Delta</b> with full regimen: infection with <b>Alpha</b> 93.7% - infection with <b>Delta</b> 88%. Sufficient efficacy <b>not</b> established after first dose: infection with <b>Alpha</b> 48.7% - infection with <b>Delta</b> 30.7%.</p>	<b>6-month follow up analysis non-peer reviewed (12):</b> overall effectiveness 91.3% - severe disease 95.3/100%
<b>Moderna/ Spikevax/ mRNA-1273 (USA)</b>	 2 doses (day 0 & 28)	-25 to -15°C	18+	\$15-\$34.50	63 (+7)	yes	<p><b>The US Phase 3 trial (17):</b> symptomatic disease 94.1% - severe and fatal disease 100%</p> <p><b>USA effectiveness real-life study (3):</b> infection 93.3% - hospitalisation 86% - ICU admission 100%</p>	<b>Booster efficacy trial non-peer reviewed (10):</b> preliminary results suggest sufficient efficacy against <b>Beta</b> and <b>Gamma</b> : no efficacy results available. The trial evaluates a booster shot based on the Beta variant strain, a multi-strain version, and the original vaccine.	<b>6-month follow-up analysis (14):</b> overall effectiveness 94%
<b>Moderna/ National Institute of Allergy and Infectious Diseases/ mRNA-1273.351 (USA)</b>	 Booster: 1 dose (6 mths. after full regime with mRNA-1273)  Full regime: 3 doses (day 0, 28/56 & 6 mths later)	-25 to -15°C	18+	-	-	-	<b>Phase 4 trial</b> with booster dosing ongoing (56)	<b>Phase 4 trial</b> with booster ongoing (56): the vaccine is based on the Beta variant	-
<b>Moderna/ mRNA-1273.211 (USA)</b>	 Booster: 1 dose (6 mths. after full regime with mRNA-1273)	-25 to -15°C	18+	-	-	-	<b>Phase 3 trial</b> data expected June 2022 (57)	<b>Phase 3 trial</b> with booster ongoing (57): the vaccine is based on the Moderna mRNA-1273 and mRNA-1273.351 vaccines	-

# COVID-19 VACCINE OVERVIEW

 PROTEIN  
SUBUNIT

Company/vaccine name (country)	Doses (1)	Storage temperature & shelf-life (2, 65)	Age suitability	Wholesale price in US dollars (58)	Implemented in # of countries (4)	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
Anhui Zhifei Longcom / RBD-Dimer (ZF2001) (China)	 2 or 3 doses (day 0 & 28 / 0, 28 & 56)	-	18+	-	1 (+0)	-	-	-	-
Clover Biopharmaceuticals Inc./GSK/Dynavax (China, UK & USA)	 2 doses (day 0 & 21)	-	18+	-	-	-	Phase 3 trial data expected July 2022 (38)	-	-
Center for Genetic Engineering and Biotechnology (CIGB) / Abdala (CIGB-66) (Cuba)	 3 doses (day 0, 14 & 28 / 0, 28 & 56)	-	19+	-	1 (+0)	-	-	-	-
Instituto Finlay de Vacunas / SOBERANA 02 (Cuba)	 2 doses (day 0 & 28)	-	19+	-	1 (+0)	-	-	-	-
Sanofi Pasteur / GSK / VAT00002 (France & UK)	 2 doses (day 0 & 21)	4°C (46)	18+	\$9.30-\$10.50	-	-	Phase 3 trial data expected April 2022 and January 2023 (44, 45)	-	-
FBRI <sup>3</sup> / EpiVacCorona / Vector Institute (Russia)	 2 doses (day 0 & 21)	-	18+	\$5.51	2 (+0)	-	-	-	-
Vaxxinity /UB-612 (USA)	 2 doses (day 0 & 28)	2 to 8°C (48)	18+	\$20	-	-	Phase 3 trial data expected March 2023 (47)	-	-
Novavax / NVX-CoV2373 (USA)	 2 doses (day 0 & 21)	2 to 8°C	18+	\$3	-	-	Phase 3 trial data expected January 2022 and June 2023 (36) England Phase 3 trial (20, 60): overall (original+variant strains) symptomatic disease 89.7% - symptomatic disease 96.4% (original strain) - hospitalisation 100% - deaths 100%	England Phase 3 trial (20, 60): preliminary results suggest sufficient efficacy against Alpha: symptomatic disease 86.3% - hospitalisation 100% - deaths 100% South Africa Phase 1-2 trial (37): non-efficacy trial results suggest efficacy against Beta: symptomatic disease 51%	-
Medicago Inc. / CoVLP (Canada)	 2 doses (day 0 & 21)	2 to 8°C (51)	18+	-	-	-	Phase 3 trial data expected April 2022 (52)	-	-

 VIRUS LIKE  
PARTICLE

# COVID-19 VACCINE OVERVIEW

DNA	Company/vaccine name (country)	Doses (1)	Storage temperature & shelf-life (2, 65)	Age suitability	Wholesale price in US dollars (58)	Implemented in # of countries (4)	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
	<b>Inovio / International Vaccine Institute / Advaccine (China &amp; USA)</b>	2 doses (day 0 & 28)	-	18+	-	-	-	<b>Phase 3 trial</b> data expected December 2022 (40)	-	-
	<b>Zydus Cadila / ZyCoV-D (India)</b>	3 doses (day 0, 28 & 56)	2 to 8°C (42)	18+	-	-	-	<b>Phase 3 trial</b> data expected 2022 (43)	-	-
	<b>AnGes / Takara Bio / Osaka University (Japan)</b>	2 doses (day 0 & 14)	Room temp.	18+	-	-	-	<b>Phase 3 trial</b> data expected March 2022 (41)	-	-

SEQUENTIAL ASSOCIATION OF VACCINES	Company/vaccine name (country) 1st dose	Company/vaccine name (country) 2nd dose	Age suitability	WHO EUL (11)	Efficacy: preventing OLD variant	Efficacy: preventing NEW variants	Lasting immunity: length and efficacy / effectiveness
	<b>University of Oxford/AstraZeneca/ Covishield® (UK)</b>	<b>Pfizer/BioNTech/Fosun/ Comirnaty® (Germany &amp; USA)</b>	-	-	<b>Efficacy trials ongoing (59):</b> interim analysis of immunogenicity indicate promising efficacy. <b>Safety and immunogenicity trials (64):</b> Preliminary results suggest good overall immune response following mRNA booster shot.	<b>Safety and immunogenicity trials (64):</b> Preliminary results suggest good overall immune response towards the <b>Alpha, Beta and Gamma</b> variants following mRNA booster shot.	-
	<b>University of Oxford/AstraZeneca/ Covishield® (UK)</b>	<b>Moderna / mRNA-1273 (USA)</b>	-	-	<b>Safety and immunogenicity trials (63):</b> Preliminary results suggest good overall immune response following mRNA booster shot.	<b>Safety and immunogenicity trials (63):</b> Preliminary results suggest good overall immune response towards the <b>Beta</b> variant following mRNA booster shot.	-

# COVID-19 VACCINE OVERVIEW

## References

1. WHO: <https://www.who.int/publications/m/item/draft-landscape-of-covid-19-candidate-vaccines>
2. ISGlobal: <https://www.isglobal.org/en/preguntas-frecuentes-vacuna>
3. Elsevier: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8238652/>
4. LSHTM tracker: [https://vac-lshtm.shinyapps.io/ncov\\_vaccine\\_landscape/](https://vac-lshtm.shinyapps.io/ncov_vaccine_landscape/)
5. SSRN: [https://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=3822780](https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3822780)
6. BioSpace: <https://www.biospace.com/article/comparing-covid-19-vaccines-pfizer-biontech-moderna-astrazeneca-oxford-j-and-j-russia-s-sputnik-v/>
7. Laboratorio Elea Phoenix S.A. and Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/NCT04560881>
8. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04641481>
9. NEJM: <https://www.nejm.org/doi/full/10.1056/NEJMoa2101544>
10. Moderna: <https://investors.modernatx.com/news-releases/news-release-details/moderna-announces-positive-initial-booster-data-against-sars-cov-2>
11. WHO: <https://www.who.int/teams/regulation-prequalification/eul/covid-19>
12. Pfizer: <https://www.pfizer.com/news/press-release/press-release-detail/pfizer-and-biontech-confirm-high-efficacy-and-no-serious>
13. Polack FP, Thomas SJ, Kitchin N, Absalon J, Gurtman A, Lockhart S, et al.: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7745181/>
14. NEJM: <https://www.nejm.org/doi/10.1056/NEJMoa2103916>
15. Pfizer: <https://www.pfizer.com/news/press-release/press-release-detail/pfizer-and-biontech-submit-covid-19-vaccine-stability-data>
16. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(20\)32661-1/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(20)32661-1/fulltext)
17. NEJM: <https://www.nejm.org/doi/full/10.1056/NEJMoa2035389>
18. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)00234-8/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00234-8/fulltext)
19. NEJM: <https://www.nejm.org/doi/10.1056/NEJMoa2102214>
20. Medrxiv: <https://www.medrxiv.org/content/10.1101/2021.05.13.21256639v1>
21. BMJ: <https://www.bmj.com/content/372/bmj.n793>
22. Statista: <https://www.statista.com/chart/23658/reported-cost-per-dose-of-covid-19-vaccines/>
23. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04852705?term=vaccine&recrs=abdf&cond=COVID-19&phase=0123&sort=nwst&draw=2>
24. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04791423>
25. SAGE: [https://cdn.who.int/media/docs/default-source/immunization/sage/2021/april/5\\_sage29apr2021\\_critical-evidence\\_sinovac.pdf](https://cdn.who.int/media/docs/default-source/immunization/sage/2021/april/5_sage29apr2021_critical-evidence_sinovac.pdf)
26. SAGE: [https://cdn.who.int/media/docs/default-source/immunization/sage/2021/april/2\\_sage29apr2021\\_critical-evidence\\_sinopharm.pdf](https://cdn.who.int/media/docs/default-source/immunization/sage/2021/april/2_sage29apr2021_critical-evidence_sinopharm.pdf)
27. Clinicaltrials.gov: <https://www.clinicaltrials.gov/ct2/show/NCT04691908?term=NCT04691908&draw=2&rank=1>
28. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04540419?term=vaccine&cond=covid-19&draw=6> and <https://clinicaltrials.gov/ct2/show/results/NCT04526990?term=vaccine&cond=covid-19&draw=6>
29. SSRN: [https://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=3779160](https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3779160)
30. US FDA: <https://www.fda.gov/media/146217/download>
31. US FDA: <https://www.fda.gov/media/146218/download>
32. Clinicaltrials.gov: <https://www.clinicaltrials.gov/ct2/show/NCT04674189?term=NCT04674189&draw=2&rank=1>
33. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)00448-7/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00448-7/fulltext)
34. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)00947-8/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00947-8/fulltext)
35. The NEJM: [https://www.nejm.org/doi/10.1056/NEJMoa2104974?url\\_ver=Z39.88-2003&rfr\\_id=ori:rid:crossref.org&rfr\\_dat=cr\\_pub%20%20pubmed](https://www.nejm.org/doi/10.1056/NEJMoa2104974?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%20%20pubmed)
36. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04583995> and <https://clinicaltrials.gov/ct2/show/results/NCT04611802?term=NCT04611802&draw=2&rank=1>
37. The NEJM: <https://www.nejm.org/doi/full/10.1056/NEJMoa2103055>
38. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04672395>
39. Clinicaltrials.gov: <https://www.clinicaltrials.gov/ct2/show/results/NCT04659239?term=vaccination&cond=covid&draw=3>
40. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04642638>
41. Clinicaltrials.gov: <https://www.clinicaltrials.gov/ct2/show/results/NCT04655625?term=vaccination&cond=covid&draw=1>
42. India Today: <https://www.indiatoday.in/coronavirus-outbreak/vaccine-updates/story/zydus-cadila-covid-vaccine-close-to-getting-approved-in-india-says-md-sharvil-patel-1800132-2021-05-08>
43. Clinical Trials Registry India: <http://ctri.nic.in/Clinicaltrials/showallp.php?mid1=45306&EncHid=&userName=Zydus>
44. Pan African Clinical Trials Registry: <https://pactr.samrc.ac.za/TrialDisplay.aspx?TrialID=13475>
45. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04904549>
46. Sanofi: <https://www.sanofi.com/en/media-room/press-releases/2021/2021-05-17-07-30-00-2230312>
47. Clinicaltrials.gov: <https://www.clinicaltrials.gov/ct2/show/NCT04683224?term=A+Study+to+Evaluate+the+Safety%2C+Immunogenicity%2C+and+Efficacy+of+UB-612+COVID-19+Vaccine&draw=2&rank=1>
48. Precision Vaccinations: <https://www.precisionvaccinations.com/vaccines/ub-612-covid-19-vaccine>
49. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04847102>
50. Reuters: <https://www.reuters.com/business/healthcare-pharmaceuticals/mexico-start-phase-iii-clinical-trials-chinas-walvax-covid-vaccine-2021-05-11/>
51. Medicago: <https://www.medicago.com/en/media-room/medicago-announces-positive-phase-1-results-for-its-covid-19-vaccine-candidate/>
52. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04636697>
53. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04864561>
54. The Pharmaceutical Journal: <https://pharmaceutical-journal.com/article/feature/everything-you-need-to-know-about-covid-19-vaccines>
55. NEJM: [https://www.nejm.org/doi/full/10.1056/NEJMoa2108891?query=featured\\_home](https://www.nejm.org/doi/full/10.1056/NEJMoa2108891?query=featured_home)
56. EU Clinical Trials Register: <https://www.clinicaltrialsregister.eu/ctr-search/trial/2021-000930-32/BE>
57. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/results/NCT04927065?view=results>
58. UNICEF: <https://www.unicef.org/supply/covid-19-vaccine-market-dashboard>
59. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)01420-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)01420-3/fulltext)
60. NEJM: [https://www.nejm.org/doi/full/10.1056/NEJMoa2107659?query=featured\\_home](https://www.nejm.org/doi/full/10.1056/NEJMoa2107659?query=featured_home)
61. NEJM: <https://www.nejm.org/doi/full/10.1056/NEJMoa2107715>
62. Medrxiv: <https://www.medrxiv.org/content/10.1101/2021.06.30.21259439v1>
63. NEJM: <https://www.nejm.org/doi/full/10.1056/NEJMoa2110716>
64. Nature: <https://www.nature.com/articles/s41591-021-01449-9>
65. University of Melbourne: <https://medicine.unimelb.edu.au/school-structure/paediatrics/news-and-events/covid-19-weekly-vaccine-updates>
66. ART: <https://africacdc.org/download/african-union-and-the-africa-centers-for-disease-control-and-preventions-africa-regulatory-taskforce-has-endorsed-the-emergency-used-authorization-for-janssen-covid-19-vaccine/>
67. ART: <https://africacdc.org/download/africa-regulatory-taskforce-has-endorsed-the-emergency-used-listing-for-two-versions-of-the-astrazeneca-oxford-vaccine-astrazeneca-skbio-in-south-korea-and-serum-institute-of-india/>
68. The Lancet: [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(21\)00432-3/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(21)00432-3/fulltext)
69. Clinicaltrials.gov: <https://clinicaltrials.gov/ct2/show/study/NCT04741061> and Sputnik V press release: <https://sputnikvaccine.com/newsroom/pressreleases/sputnik-light-vaccine-the-first-component-of-sputnik-v-vaccine-demonstrates-78-6-83-7-efficacy-among/>
70. WHO: <https://www.who.int/news-room/feature-stories/detail/vaccine-efficacy-effectiveness-and-protection>
71. CDC: <https://www.cdc.gov/csels/dsepd/ss1978/lesson3/section6.html>

## Foot notes

- <sup>2</sup> The prices listed are the wholesale price paid by countries, it is not the final prices for consumers. Prices vary between countries.
- <sup>3</sup> Federal Budgetary Research Institution (Russia)
- <sup>5</sup> There is a discrepancy between the manufacturer stated interval (28 days between doses) and the interval stated by WHO (21 days between doses). See the manufacturer statement here: <https://www.bharatbiotech.com/covaxin.html>
- <sup>6</sup> The efficacy data is higher for the P.2 lineage than for the B.1.351